

**CLAIM AMENDMENTS**

Please amend the claims as described below. In accordance with 37 CFR §1.121, a complete listing of all claims in the application is provided below. The status of each claim is indicated in the parenthetical expression adjacent to the corresponding claim number.

**Claims 1-9 (Canceled).**

- 1        10. **(NEW)** A wind power installation comprising:  
2        a foundation;  
3        a pylon based on the foundation and having a diameter in a foundation region;  
4        a generator;  
5        a power module having a plurality of electrical devices and a support, the plurality of  
6        electrical devices including at least one transformer to transform electrical energy provided  
7        by the generator to a medium voltage and/or a high voltage, the plurality of electrical  
8        devices further including electrical devices by means of which electrical energy produced  
9        by the generator is controlled and/or supplied and/or converted, the support being placed  
10       on the foundation and accommodating the plurality of electrical devices, the power module  
11       further having a width and/or length less than the diameter of the pylon in the foundation  
12       region; and  
13       a container that accommodates the power module, the container having a wall  
14       disposed between the power module and a wall of the pylon.

- 1       11. **(NEW)** The wind power installation of claim 10 wherein the container  
2       comprises a tube having a substantially cylindrical cross-section.

1           12. (NEW) The wind power installation of claim 10 wherein a separate space is  
2 provided in the container and available as a changing room and/or a rest room for service  
3 engineers of the wind power installation.

1           13. (NEW) The wind power installation of claim 10 wherein the container comprises  
2 a water-tight container.

1           14. (NEW) The wind power installation of claim 10 wherein the container includes  
2 means for water-tight closure of the container.

1           15. (NEW) The wind power installation of claim 10 wherein the container includes a  
2 water-tight door.

1           16. (NEW) The wind power installation of claim 10 wherein a space within the  
2 container is equipped to allow a prolonged stay by a number of people.

1           17. (NEW) An offshore wind power installation comprising a wind power installation  
2 according to claim 10.

1           18. (NEW) A method for use in erecting a wind power installation comprising a pylon  
2 and a generator supported by the pylon, the method comprising:  
3 mounting a container on a foundation;  
4 erecting a pylon on the foundation after mounting the container; and

5 providing a power module within the container, the power module including a  
6 transformer to transform electrical power provided by the generator.

1 19. (NEW) The method of claim 18 further comprising feeding electrical power  
2 provided by the generator into a network.

1 20. (NEW) The method of claim 19 wherein feeding electrical power provided by the  
2 generator into a network comprises connecting the power module to a power supply  
3 network.

1 21. (NEW) The method of claim 19 wherein the electrical power module further  
2 includes a plurality of electrical devices for controlling the wind power installation and/or  
3 transmitting and/or converting electrical power provided by the generator.

1 22. (NEW) The method of claim 21 wherein the plurality of electrical devices  
2 includes an inverter and/or at least one switching cabinet.

1 23. (NEW) The method of claim 18 wherein providing a power module within the  
2 container comprises:  
3 placing the power module on the foundation; and  
4 fitting the container over the power module after placing the power module on  
5 the foundation.

1           24. **(NEW)** The method of claim 18 further comprising transporting the container and  
2           the power module after providing the power module in the container.

1           25. **(NEW)** An offshore wind power installation erected according to a method  
2           comprising the method of claim 18.

1           26. **(NEW)** A method for use in erecting a wind power installation comprising a pylon  
2           and a generator supported by the pylon, the method comprising:  
3           fitting a container in the pylon at a factory upon manufacture of the pylon; and  
4           providing a power module within the container, the power module including a  
5           transformer to transform electrical power provided by the generator.

1           27. **(NEW)** The method of claim 26 further comprising feeding electrical power  
2           provided by the generator into a network.

1           28. **(NEW)** The method of claim 27 wherein the electrical power module further  
2           includes a plurality of electrical devices for controlling the wind power installation and/or  
3           transmitting and/or converting electrical power provided by the generator.

1           29. **(NEW)** An offshore wind power installation erected according to a method  
2           comprising the method of claim 26.